



www.detailedplaypro.com 877-548-3100

## **Climbing Activity Specifications**

### **PLASTICS (TORTOISE CLIMB)**

- 1<sup>st</sup> quality linear low density Polyethylene (LDPE) – ExxonMobil LL8450
- Rotational molded
- 3/8" wall thickness
- 2,550 psi tensile strength (ASTM D638)
- Mold-in graphics
- UV stabilized
- UV 8 Rating (tested per ASTM G155 cycle 1 guidelines)
- Anti-static inhibitors
- 19 color options

### **CLIMBER (CARGO NET)**

#### **CLIMBER**

- 4/0 (.218") STR Coil H galvanized chain
- Polyvinyl Chloride (PVC) coating
- 7/8" O.D. x 18 gauge wall thickness tubing

#### **BRACKET**

- 9 gauge galvanized flat steel
- Pre-treatment wash primer
- Powder coat finish

#### **CLEVIS CONNECTOR**

- Galvanized, forged steel
- Tamper resistant – special tool required for install
- Galvanized hex pin shoulder bolt

#### **GATED ENTRY**

- 1-1/4" O.D. galvanized pipe
- Pre-treatment wash primer
- Powder coat finish

### **CLIMBER (BEDROCK)**

#### **CLIMBER**

- Plastic
- Mounts on 48" wide deck (uses 3'x4' rectangle deck on Adventure Series)

#### **GATED ENTRY**

- 1-1/4" O.D. galvanized pipe
- Pre-treatment wash primer
- Powder coat finish

## **CLIMBER (CLOVER, COIL, SNAKE, TREE, DEEP RUNG ARCH, MOUNTAIN, RUNG LADDER, SLIDING POLE)**

### **CENTER POLE**

- 1.66" O.D. galvanized pipe
- Pre-treatment wash primer
- Powder coat finish

### **HAND/FOOT RUNGS**

- 1-1/4" O.D. galvanized pipe
- Pre-treatment wash primer
- Powder coat finish

### **GATED ENTRY**

- 1-1/4" O.D. pipe
- Pre-treatment wash primer
- Powder coat finish

### **BRACKET**

- 9 gauge galvanized flat steel
- Pre-treatment wash primer
- Powder coat finish

## **CLIMBER (LILY PAD)**

### **LILY PAD**

- Poly sheet

### **GATED ENTRY**

- 1-1/4" O.D. galvanized pipe
- Pre-treatment wash primer
- Powder coat finish

### **SUPPORT POSTS**

- 3.5" O.D. galvanized pipe
- Pre-treatment wash primer
- Powder coat finish

## **TRAPEZE BAR**

### **BAR**

- 1.25" o.d. round steel tube
- Pre-treatment wash primer
- Powder coat finish

### **TRAPEZE RING**

- A-09 ring
- Blue Plastisol coating
- Grip diameter: 1-1/4"
- Complies with ASTM and CPSC requirements

## **HORIZONTAL LADDERS (STANDARD / 180 DEGREE / 360 DEGREE)**

### TOP RAIL

- 2-3/8" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

### END PIPES (where applicable)

- 1.9" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

### HAND RAILS

- 1-1/4" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish